

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	745	(couple or coupling or coupler)and (waveguide)and (semiconductor)and (fix or fixed)and adhesive	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	15	1 and (bond adj wire) near5(electric or electrically)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	15	2 and (connect or connected)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	0	3 and submount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	0	3 and (metallic with reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	0	3 and transparent	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	0	3 and (coupling near5 connected)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	15	3 and (thermally with conductive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	420021	"10" and (metallic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	15	8 and (metallic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	0	10 and reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	160134	semiconductor with element	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
1	2003/12/08 10:30			0
2	2003/12/08 10:33			0
3	2003/12/08 10:34			0
4	2003/12/08 10:34			0
5	2003/12/08 10:35			0
6	2003/12/08 10:36			0
7	2003/12/08 10:37			0
8	2003/12/08 10:37			0
9	2003/12/08 10:37			0
10	2003/12/08 10:38			0
11	2003/12/08 10:38			0
12	2003/12/08 10:38			0

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	0	10 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	34438	(electro-optical)or (opto-electrical)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	15	10 and 14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	0	15 and (transparent with adhesive)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
13	2003/12/08 10:39			0
14	2003/12/08 10:40			0
15	2003/12/08 10:40			0
16	2003/12/08 10:40			0